VOLUME 57 • AUTHOR INDEX

Aberl S *see* Radon K *et al*
Abramson M *see* Musk AW *et al*
Agius RM *see* Prescott GJ *et al*
Agnew DA *see* Villeneuve PJ *et al*
Ahern W *see* Brenner H and Ahern W
Ahlbom A *see* Ojajärvi IA *et al*
Ahrens W *see* Kaerlev L *et al*
see Kauppinen T *et al*
Aizawa Y *see* Kawakami N *et al*
Akachi K *see* Kawakami N *et al*
Alavanja MCR *see* Freedman DM *et al*
Alfvén T *see* Järup L *et al*
Andersen A *see* Langård S *et al*
see Romundstad P *et al*
Andersen JH *see* Kaergaard A and Andersen JH
Anderson HR *see* Pekkanen J *et al*
Ando S *et al*. Associations of self estimated workloads with musculoskeletal symptoms among hospital nurses, **211**
Antlauf-Lammers M *see* Bünger J *et al*
Araki S *see* Kawakami N *et al*
Arnold R *see* Elliott P *et al*
Aro A *see* Brown MJ *et al*
Atkinson RW *see* Pekkanen J *et al*
Austin RP *see* Mundt KA *et al*
Auvert B *see* Banaei A *et al*

Babiker A *see* Buchdahl R *et al*
Bakke P *see* le Moual N *et al*
Banaei A *et al*. Future trends in mortality of French men from mesothelioma, **488**
Barbieri A *see* Bargellini A *et al*
Bargellini A *et al*. Relation between immune variables and burnout in a sample of physicians, **453**
Barreto SM *see* Schoemaker MJ *et al*
Bates GP *see* Donoghue AM *et al*
Baysson H *et al*. Epidemiological response to a suspected excess of cancer among a group of workers exposed to multiple radiological and chemical hazards, **188**
Beach JR *see* Musk AW *et al*
Bégin D *see* Laforest L *et al*
Bell M *see* Venn A *et al*
Benavent MI *see* Rodrigo MJ *et al*
Bendall H *see* Palmer KT *et al*
see Palmer KT *et al*
see Palmer KT *et al*
Benke G *see* Musk AW *et al*
Bernard A *see* Swennen B *et al*
Berry G *et al*. Mortality from all cancers of asbestos factory workers in east London 1933–80, **782**
Berwick M *see* Vaughan TL *et al*
Bessell J *see* Pless-Mulloli T *et al*
Beurskens AJHM *et al*. Fatigue among working people: validity of a questionnaire measure, **353**
Bhojani FA *see* Huebner WW *et al*
Bhopal R *see* Pless-Mulloli T *et al*
Bigelow C *see* Mundt KA *et al*
Blasco JM *see* Kauppinen T *et al*
Bleijenberg G *see* Beurskens AJHM *et al*
Bloemen LJ *see* Brouwer EJ *et al*
see Verplanke AJW *et al*
Boddy R *see* Venn A *et al*
Boffetta P *see* Chiazze Jr L *et al*
see Donato F *et al*
see Kauppinen T *et al*
see Ojajärvi IA *et al*
Bohadana AB *et al*. Symptoms, airway responsiveness, and exposure to dust in beech and oak wood workers, **268**
Boleij JSM *see* Ohayo-Mitoko GJA *et al*
Bonner SM *see* Tomenson JA *et al*
Boogaard PJ *see* Brouwer EJ *et al*
see Verplanke AJW *et al*
Book reviews Ballantyne B, Marrs TC, Syversen T. General and Applied Toxicology, 2nd edition, **432**
Bardana EJ Jr, Montanaro A, *editors*. Indoor air pollution and health, **287**
Dart R C, *editor*; The 5-minute toxicology consult, **504**
Hadler NM, John J-R, LaPlante M, editors; Occupational musculoskeletal disorders, second edition, **431**
Holgate ST, Samet JM, Koren HS, Maynard RL, editors. Air pollution and health, **432**
Irwin DJ, Crombie DT, Murray V. Chemical incident management for public health physicians, **287**
Kaufman LD, Varga J, editors. Rheumatic diseases and the environment, **286**
Banks DE, Parker JE, *editors*. Occupational lung disease: an international perspective, **844**
Baxter P, Adams PH, Aw T-C, *et al*, *editors*. Hunter's diseases of occupations, 9th edition, **844**
Brakhage AA, Jahn B, Schmidt A, *editors*. Contributions to microbiology, volume 2: *Aspergillus fumigatus*, **844**
Kinnera W, Johnston I, Hall I. Key topics in respiratory medicine, **285**
Levy B, Wegman D H, *editors*; Occupational health: recognising and preventing work related disease and injury, 4th edition, **503**
Liang BA; Health law and policy: a survival guide, to medicolegal issues for practitioners, **502**
Lippmann M, *editor*; Environmental toxicants: human exposures and their health effects, **503**
Lumb AB; Nunn's applied respiratory physiology, 5th edition, **502**
Lydyard P, Whelan A, Fanger MW; Instant notes in immunology, **503**
Menckel E, Westerholm P, editors; Evaluation in occupational health practice, 1st edition, **503**
Royal Society of Chemistry; The dictionary of substances and their effects, **504**
Russell JA, Walley KR, eds. Acute respiratory distress syndrome: a comprehensive clinical approach, **285**
Shanson DC. Microbiology in clinical practice, 3rd edition, **286**
Steering Committee for the Workshop on Work-Related Musculoskeletal Injuries, National Research Council, editors; Work-related musculoskeletal disorders: report, workshop summary, and workshop papers, **431**
Swift DL, ed. Air pollutants and the respiratory tract, **286**
Booth N *et al*. Suicide in the farming community: methods used and contact with health services, **642**
Booth WB *see* niven RM *et al*
Borella P *see* Bargellini A *et al*
Bouter LM *see* van der Windt DAWM *et al*
Bovenzi M *see* de Zotti R and Bovenzi M
Bovenzi M *et al*. Acute vascular responses to the frequency of vibration transmitted to the hand, **422**
Brenner H, Ahern W. Sickness absence and early retirement on health grounds in the construction industry in Ireland, **615**
Briscoe M *see* Booth N *et al*
Brisman J *et al*. Exposure-response relations for self reported asthma and rhinitis in bakers, **335**
Brito JAA *see* McNeill FE *et al*
Britton J *see* Venn A *et al*
Brouwer EJ *see* Verplanke AJW *et al*
Brouwer EJ *et al*. Personal air sampling and biological monitoring of occupational exposure to the soil fumigant *cis*-1,3-dichloropropene, **738**
Brown DM *et al*. Increased inflammation and intracellular calcium caused by ultrafine carbon black is independent of transition metals or other soluble components, **685**
Brown MJ *et al*. Determinants of bone and blood lead concentrations in the early postpartum period, **535**
Brugère J *see* Laforest L *et al*
Brunner EJ *see* Pekkanen J *et al*
Buchdahl R *et al*. Associations between ambient ozone, hydrocarbons, and childhood wheezy episodes: a prospective observational study in south east London, **86**
Buchet JP *see* Swennen B *et al*
Bugler J *see* Meredith SK *et al*
Bultmann U *see* Beurskens AJHM *et al*
Bunger J *et al*. Health complaints and immunological markers of exposure to bioaerosols among biowaste collectors and compost workers, **458**
Bungers M *see* Straif K *et al*
Burge PS *see* Chaicar N *et al*

Cai J *see* van Wijngaarden E *et al*
Carlsson MD *see* Järup L *et al*
Carpenter RG *see* Schoemaker MJ *et al*
Cate TJT *see* Smits PBA *et al*
Chaicar N *et al*. Prevalence and risk factors for latex allergy: *correspondence*, **501**
Chauhan AJ *see* Linaker CH *et al*
Chen C *see* Chen D *et al*
Chen D *et al*. Exposure to benzene, occupational stress, and reduced birth weight, **661**
Chen VW *see* Huebner WW *et al*
Chen Y-H *see* Shih T-S *et al*
Cherniack M *et al*. Vibration exposure, smoking, and vascular dysfunction, **341**
Cherrie JW *see* Semple S *et al*
Cherry N *see* Turner S and Cherry N
Chettle DR *see* McNeill FE *et al*
Chiazze Jr L *et al*. Non-neoplastic mortality of European workers who produce man made mineral fibres: *correspondence*, **648**
Chiesa R *see* Donato F *et al*
Cho S-I *see* Chen D *et al*

Choudat D *see* Kennedy SM *et al*
Christian FE *see* Brouwer EJ *et al*
Christiani DC *see* Chen D *et al*
Chuang H-Y *et al*. Vibration perception thresholds in workers with long term exposure to lead, **588**
Churchyard G *see* Hnizdo E *et al*
Cicioni C *see* Donato F *et al*
Clark RL *see* Meredith SK *et al*
Clive J *see* Cherniack M *et al*
Cockcroft A. COPE guidelines on good publication practice: *editorial*, **505**
Occupational and Environmental Medicine: on line and further developments to come: www.oem.bmjjournals.com: *editorial*, **217**
Cockings S *see* Elliott P *et al*
Coggon D *see* Linaker CH *et al*
see Palmer KT *et al*
see Palmer KT *et al*
see Palmer KT *et al*
see Palmer KT *et al*
Cohen GR *see* Prescott GJ *et al*
Colin D *see* Donato F *et al*
Collins JJ, Riordan SG. Mortality surveillance and occupational hazards: the Solutia mortality experience 1980–94, **710**
Cooper C *see* Palmer KT *et al*
Cooper M *see* Venn A *et al*
Corden J *see* Newson R *et al*
Corey PN *see* Villeneuve PJ *et al*
Correa CN *see* Huebner WW *et al*
Cox RAF, Luxon LM. Cerebral symptoms from mobile telephones: *correspondence*, **431**
Cruz MJ *see* Rodrigo MJ *et al*
Cullen RT *see* Wilson MR *et al*
Cullinan P *see* Hole AM *et al*
Cummings TF *see* Tomenson JA *et al*

Dalene M *see* Littorin M *et al*
Damber L *see* Knutsson A *et al*
Damokosh AI *see* Chen D *et al*
Darnell R *see* Pless-Mulloli T *et al*
Dean G *et al*. Investigation of a cluster of children with Down's syndrome born to mothers who had attended a school in Dundalk, Ireland, **793**
de Groof M *see* Viaene MK *et al*
de Klerk NH *see* Musk AW *et al*
de La Orden-Rivera V *see* Kauppinen T *et al*
Dell LD *see* Mundt KA *et al*
de Luz Kageyama M *see* Brown MJ *et al*
Demers PA *see* Laforest L *et al*
de Schryver A *see* Vandersmissen G *et al*
de Silva I *see* Feyer A-M *et al*
de Winter AF *see* van der Windt DAWM *et al*
De Wolff FA *see* Brouwer EJ *et al*
see Verplanke AJW *et al*
de Zotti R, Bovenzi M. Prospective study of work related respiratory symptoms in trainee bakers, **58**
de Zotti R *et al*. Two cases of paraoccupational asthma due to toluene diisocyanate (TDI), **837**
Dick F *see* Semple S *et al*
Dijksterhuis A *see* Brouwer EJ *et al*
Divine BJ *see* Finkelstein MM *et al*
Divine BJ, Hartman CM. Update of a study of crude oil production workers 1946–94, **411**
Donaldson K *see* Brown DM *et al*
see Wilson MR *et al*
Donato F *et al*. Mortality from cancer and chronic respiratory diseases among workers who manufacture carbon electrodes, **484**
Donoghue AM *et al*. Heat exhaustion in a deep underground metalliferous mine, **165**
Dosemeci M *see* Freedman DM *et al*
Dowdeswel R *see* Hnizdo E *et al*
Draper A *see* Hole AM *et al*
Dunn CE *see* Pless-Mulloli T *et al*

Eaton N *see* Elliott P *et al*
Eaton NE *see* Nieuwenhuijsen MJ *et al*
Edgington K *see* Saundby P and Edgington K
Edwards J *see* Pless-Mulloli T *et al*
Edwards JC *see* Tomenson JA *et al*
Elinder C-G *see* Järup L *et al*
Elliott P *see* Philipp R *et al*
Elliott P *et al*. Risk of mortality, cancer incidence, and stroke in a population potentially exposed to cadmium, **94**
Elliott P *see* Nieuwenhuijsen MJ *et al*
Elovainio M *see* Kivimäki M *et al*
Elton RA *see* Prescott GJ *et al*
Engel S *see* Bohadana AB *et al*
Eriksson M *see* Kaerlev L *et al*

Fagard RH *see* Staessen JA *et al*
Faragher EB *see* niven RM *et al*
Fawell J *see* Nieuwenhuijsen MJ *et al*
Fayerweather W *see* Chiazze Jr L *et al*
Fear NT *see* Kinlen LJ *et al*
Feyer A-M *see* Williamson AM and Feyer A-M
Feyer A-M *et al*. The role of physical and psychological factors in occupational low back pain: a prospective cohort study, **116**
Fielder HMP *see* Lyons RA *et al*
Findlay P *see* Brown DM *et al*
Finkelstein MM *et al*. Update of the Texaco mortality study 1947–93: part II: *correspondence*, **143**
Fletcher AM *see* niven RM *et al*
see Vyas A *et al*
Fletcher T *see* Gouveia N and Fletcher T
Folkard S *see* Tucker P *et al*
Forsberg B *see* Järvholm B *et al*
Foulds I *see* Chaiear N *et al*
Fowkes FGR *see* Prescott GJ *et al*
Francis HC *see* Vyas A *et al*
Freedman DM *et al*. Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**
Friedlander BR *see* Huebner WW *et al*
Friedmann CH *see* Huebner WW *et al*
Frings-Dresen MHW *see* Sluiter JK *et al*
Fritschi L *see* Musk AW *et al*
see Parent M *et al*
Fritschi L. Cancer in veterinarians: *review*, **289**
Froom P *see* Ratzon N *et al*
Fryar C *see* Chiazze Jr L *et al*
Fujita O *see* Kawakami N *et al*

Gehanno JF, Thirion B. How to select publications on occupational health: the usefulness of Medline and the impact factor, **706**
Gérin M *see* Laforest L *et al*
Gilmour WH *see* Macdonald EB *et al*
see McGeoch KL and Gilmour WH
Giraud JM *see* Baysson H *et al*
Goldberg M *see* Banaei A *et al*
Goldberg P *see* Laforest L *et al*
Goldberg S *see* Banaei A *et al*
Gonzales-Cossio T *see* Brown MJ *et al*
González AL *see* Kaerlev L *et al*
Goutet P *see* Bohadana AB *et al*
Gouveia N, Fletcher T. Respiratory diseases in children and outdoor air pollution in São Paulo, Brazil: a time series analysis, **477**
Griffin MJ *see* Bovenzi M *et al*
see Palmer KT *et al*
see Palmer KT *et al*
see Palmer KT *et al*
see Palmer KT *et al*
Grottolo M *see* Monarca S *et al*
Grubb A *see* Järup L *et al*
Gueguen A *see* Banaei A *et al*
Guénel P *see* Kaerlev L *et al*
Gunneberg A *see* Lyons RA *et al*
Gustavsson P *see* Thörn A *et al*

Ha E-H *see* Hong Y-C *et al*
Haites N *see* Semple S *et al*
Hakulinen T *see* Ojajärvi IA *et al*
Haldorsen T *see* Romundstad P *et al*
see Skogstad M *et al*
Hallier E *see* Bünger J *et al*
Hamilton L *see* Sorahan T *et al*
Hamre R *see* Lund MB *et al*
Hansen J *see* Kauppinen T *et al*
Haratani T *see* Kawakami N *et al*
Hardell L *see* Kaerlev L *et al*
Harrington JM *see* Sorahan T and Harrington JM
Harrison RM *see* Järvholm B *et al*
Hartman CM *see* Divine BJ and Hartman CM
see Finkelstein MM *et al*
Hashimoto S *see* Kawakami N *et al*
Hattori Y *see* Ando S *et al*
Haward B *see* Palmer KT *et al*
Hayashi T *see* Kawakami N *et al*
Heederik D *see* le Moual N *et al*
see Ohayo-Mitoko GJA *et al*
Heinrich-Ramm R *see* Wegner R *et al*
Heldaas SS *see* Langård S *et al*
Hellström L *see* Järup L *et al*
Hely MCG *see* Feyer A-M *et al*
Hendrie L *see* Feyer A-M *et al*
Herber RFM *see* Verplanke AJW *et al*
Herbison P *see* Feyer A-M *et al*
Hernandez-Avila M *see* Brown MJ *et al*
Higgins CD *see* Schoemaker MJ *et al*
Hill I *see* Venn A *et al*
Hiro H *see* Kawakami N *et al*
Hiruta S *see* Ando S *et al*
Hnizdo E *et al*. Lung function prediction equations derived from healthy South African gold miners, **698**
Hogstedt C *see* Thörn A *et al*

Hole AM *et al.* Occupational asthma caused by bacillary amylase used in the detergent industry, **840**
Holgate ST *see* Linaker CH *et al*
Holthenrich D *see* Straif K *et al*
Hong Y-C *et al.* Influence of genetic susceptibility on the urinary excretion of 8-hydroxydeoxyguanosine of firefighters, **370**
Hori F *see* Ando S *et al*
Howel D *see* Pless-Mulloli T *et al*
Hrafnkelsson J *see* Radon K *et al*
see Rafnsson V *et al*
Hsieh A-T *see* Shih T-S *et al*
Hu H *see* Brown MJ *et al*
see Chuang H-Y *et al*
Hubbard R *see* Venn A *et al*
Huebner WW *et al.* Incidence of lymphohaematopoietic malignancies in a petrochemical industry cohort: 1983–94 follow up, **605**
Hughes A *see* Philipp R *et al*

Inoue K, Matsumoto M. Karo jisatsu (suicide from overwork): a spreading occupational threat: *correspondence*, **284**
Inskip HM *see* Linaker CH *et al*
Ishizaki M *see* Kawakami N *et al*

Jackson JR *see* Sorahan T *et al*
see Veys CA *et al*
Jacques P *see* Vandersmissen G *et al*
Järup L *see* Elliott P *et al*
see Philipp R *et al*
Järup L *et al.* Low level exposure to cadmium and early kidney damage: the OSCAR study, **668**
Järvholm B *see* Brisman J *et al*
see Knutsson A *et al*
Järvholm B *et al.* Childhood cancer and possible exposure to benzene from traffic and petrol stations: *correspondence*, **500**
Jolliffe G *see* Hole AM *et al*
Jones J *see* Elliott P *et al*
Jones M *see* Hole AM *et al*
Jones TJ *see* niven RM *et al*
Jorgensen G *see* Huebner WW *et al*
Jørgensen NK *see* Petersen R *et al*
Jourenkova N *see* Ojajärvi IA *et al*
Joy JA *see* Huebner WW *et al*

Kaergaard A, Andersen JH. Musculoskeletal disorders of the neck and shoulders in female sewing machine operators: prevalence, incidence, and prognosis, **528**
Kaerlev L *et al.* Occupation and small bowel adenocarcinoma: a European case-control study, **760**
Kant I *see* Beurskens AJHM *et al*
Karadima G *see* Dean G *et al*
Karmaus W *see* Latza U *et al*
Katagi K *see* Kumagai S *et al*
Katz AM *see* Lewis RJ *et al*
Kauffmann F *see* Kennedy SM *et al*
see le Moual N *et al*
Kauppinen TP *et al.* Occupational exposure to carcinogens in the European Union, **10**
Kauppinen TP *see* Ojajärvi IA *et al*
Kawakami N *et al.* Job strain, social support in the workplace, and haemoglobin A1c in Japanese men, **805**
Kaye WE *see* McNeill FE *et al*
Keil U *see* Straif K *et al*
Kelly M *see* Dean G *et al*
Kennedy SM *see* le Moual N *et al*
Kennedy SM *et al.* Development of an asthma specific job exposure matrix and its application in the epidemiological study of genetics and environment in asthma (EGEA), **635**
Keynes HL *see* McDonald JC *et al*
Kielkowski D *et al.* Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study, **563**
King A *see* Pless-Mulloli T *et al*
Kinlen LJ *et al.* Childhood leukaemia, population mixing, and paternal occupation: *correspondence*, **144**
Kivimäki M *et al.* Workplace bullying and sickness absence in hospital staff, **656**
Kleckner RC *see* van Wijngaarden E *et al*
Klees JE *see* Ott MG *et al*
Knutsson A *et al.* Cancers in concrete workers: results of a cohort study of 33 668 workers, **264**
Kobayashi F *see* Kawakami N *et al*
Koda S *see* Kumagai S *et al*
Kogevinas M *see* Kauppinen T *et al*
see Ojajärvi IA *et al*
Kohno S *see* Obase Y *et al*
Kolstad HA *see* Kaerlev L *et al*
Kongerud J *see* Lund MB *et al*
Kristal-Boneh E *see* Ratzon N *et al*
Kromhout H *see* Kauppinen T *et al*
see le Moual N *et al*
see Ohayo-Mitoko GJA *et al*

Kumagai S *et al.* Polychlorinated dibenzo-*p*-dioxin and dibenzofuran concentrations in the serum samples of workers at continuously burning municipal waste incinerators in Japan, **204**

Laforest L *et al.* Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: a case-control study in France, **767**
Langard S *et al.* Incidence of cancer among workers exposed to vinyl chloride in polyvinyl chloride manufacture, **65**
Latza U *et al.* Cohort study of occupational risk factors of low back pain in construction workers, **28**
Launoy G *see* Kaerlev L *et al*
Laurier D *see* Baysson H *et al*
Lauwerys RR *see* Swennen B *et al*
Leclerc A *see* Laforest L *et al*
Lee AJ *see* Prescott GJ *et al*
Lee M-LT *see* Chuang H-Y *et al*
Lee RJ *see* Prescott GJ *et al*
Leenders J *see* Viaene MK *et al*
Leikin E *see* Ratzon N *et al*
Le Moual N *see* Kennedy SM *et al*
Le Moual N *et al.* Performance of population specific job exposure matrices (JEMs): European collaborative analyses on occupational risk factors for chronic obstructive pulmonary disease with job exposure matrices (ECOJEM), **126**
le Moullec Y *see* Zagury E *et al*
Lewis RJ *et al.* Updated mortality among diverse operating segments of a petroleum company, **595**
Lewis S *see* Venn A *et al*
Li C-Y *et al.* Longest held occupation in a lifetime and risk of disability in activities of daily living, **550**
Liao G-D *see* Shih T-S *et al*
Lillienberg L *see* Brisman J *et al*
Linaker CH *et al.* Personal exposures of children to nitrogen dioxide relative to concentrations in outdoor air, **472**
Lindsell CJ *see* Bovenzi M *et al*
Liou S-H *see* Shih T-S *et al*
Lison D *see* Swennen B *et al*
Littorin M *et al.* Exposure biomarkers and risk from gluing and heating of polyurethane: a cross sectional study of respiratory symptoms, **396**
Loomis D *see* van Wijngaarden E *et al*
Luce D *see* Banaei A *et al*
see Laforest L *et al*
Luippold RS *see* Mundt KA *et al*
Lund MB *et al.* Increased nitric oxide in exhaled air: an early marker of asthma in non-smoking aluminium potroom workers?, **274**
Luxon LM *see* Cox RAF and Luxon LM
Lynch CF *see* Vaughan TL *et al*
Lyon JL *see* Vaughan TL *et al*
Lyons RA *et al.* Investigation of an acute chemical incident: exposure to fluorinated hydrocarbons, **577**

McCabe M *see* Lyons RA *et al*
Macdonald EB *et al.* Requirements for occupational medicine training in Europe: a Delphi study, **98**
Macdonald I *see* Tucker P *et al*
McDonald JC *et al.* Reported incidence of occupational asthma in the United Kingdom, 1989–97, **823**
Macfarlane GJ *see* van der Windt DAWM *et al*
McGeoch KL, Gilmour WH. Cross sectional study of a workforce exposed to hand-arm vibration: with objective tests and the Stockholm workshop scales, **35**
MacNee W *see* Brown DM *et al*
McNeil JJ *see* Musk AW *et al*
McNeill FE *et al.* ^{109}Cd K *x* ray fluorescence measurements of tibial lead content in young adults exposed to lead in early childhood, **465**
Malchaire J. Strategy for prevention and control of the risks due to noise, **361**
Mallants A *see* Swennen B *et al*
Mandryk J *see* Feyer A-M *et al*
Marchionna G *see* Donato F *et al*
Masschelein R *see* Viaene MK *et al*
Massin N *see* Bohadana AB *et al*
Matsumoto M *see* Inoue K and Matsumoto M
Matsuse H *see* Obase Y *et al*
Maynard RL *see* Wilson MR *et al*
Meijman TF *see* Sluiter JK *et al*
Meredith SK *see* McDonald JC *et al*
Meredith SK *et al.* Isocyanate exposure and occupational asthma: a case-referent study, **830**
Merefield J *see* Pless-Mulloli T *et al*
Merler E *see* Kaerlev L *et al*
Merletti F *see* Kaerlev L *et al*
Merrett T *see* Vyas A *et al*
Metz JCM *see* Smits PBA *et al*
Mikkelsen M *see* Dean G *et al*
Mikkelsen S *see* Petersen R *et al*
Miller AB *see* Villeneuve PJ *et al*
Millington W *see* Newson R *et al*
Mirabelli D *see* Kauppinen T *et al*

Mitsuta K *see* Obase Y *et al*
Miyakita T *see* Kumagai S *et al*
Miyazaki S *see* Kawakami N *et al*
Moens G *see* Vandersmissen G *et al*
Moffatt S *see* Pless-Mulloli T *et al*
Momas I *see* Zagury E *et al*
Monarca S *see* Donato F *et al*
Monarca S *et al*. Evaluation of environmental bacterial contamination and procedures to control cross infection in a sample of Italian dental surgeries, **721**
Morell F *see* Rodrigo MJ *et al*
Moulin J-J *see* Wild P *et al*
Mulder A *see* Brouwer EJ *et al*
Muller MM *see* Bünger J *et al*
Mundt KA *et al*. Historical cohort study of 10 109 men in the North American vinyl chloride industry, 1942–72: update of cancer mortality to 31 December 1995, **774**
Muran A *see* de Zotti R *et al*
Murio C *see* Rodrigo MJ *et al*
Murray KJ *see* Macdonald EB *et al*
Murray N *see* Lewis RJ *et al*
Musk AW *et al*. Respiratory symptoms and lung function in alumina refinery employees, **279**
Mutschler W *see* Radon K *et al*

Nardi G *see* Monarca S *et al*
Nash P *see* Lyons RA *et al*
Nelson G *see* Kielkowski D *et al*
Neth A *see* Latza U *et al*
Nevin NC *see* Dean G *et al*
Newhouse ML *see* Berry G *et al*
Newson R *et al*. Fungal and other spore counts as predictors of admissions for asthma in the Trent region, **786**
Niedhammer I *et al*. How is sex considered in recent epidemiological publications on occupational risks?: *review*, **521**
Nielsen F *see* Nielsen JB and Nielsen F
Nielsen JB, Nielsen F. Dermal in vitro penetration of methiocarb, paclobutrazol, and pirimicarb, **734**
Nieuwenhuijsen MJ *et al*. Chlorination disinfection byproducts in water and their association with adverse reproductive outcomes: a review: *review*, **73**
niven RM *see* Vyas A *et al*
niven RM *et al*. Building sickness syndrome in healthy and unhealthy buildings: an epidemiological and environmental assessment with cluster analysis, **627**
Noess R *see* Mundt KA *et al*
Nordman H *see* Vanhanen M *et al*
Nowak D *see* Radon K *et al*
see Wegner R *et al*

Obase Y *et al*. Two patients with occupational asthma who returned to work with dust respirators, **62**
O'Brien ET *see* Staessen JA *et al*
Ohayo-Mitoko GJA *et al*. Self reported symptoms and inhibition of acetylcholinesterase activity among Kenyan agricultural workers, **195**
Ojajärvi IA *et al*. Occupational exposures and pancreatic cancer: a meta-analysis, **316**

Oksne PI *see* Lund MB *et al*

Oldham LA *see* Vyas A *et al*
Olma K *see* Wegner R *et al*
Ono Y *see* Ando S *et al*
Orlowski E *see* le Moual N *et al*
Osborne A *see* Semple S *et al*
O'Sullivan J *see* Dean G *et al*
Ott MG *et al*. Respiratory health surveillance in a toluene di-isocyanate production unit, 1967–97: clinical observations and lung function analyses, **43**

Paddle GM *see* Tomenson JA *et al*
Paganelli C *see* Monarca S *et al*
Palazuelos E *see* Brown MJ *et al*
Palmer KT *et al*. Prevalence and pattern of occupational exposure to hand transmitted vibration in Great Britain: findings from a national survey, **218**
Prevalence and pattern of occupational exposure to whole body vibration in Great Britain: findings from a national survey, **229**
Prevalence of Raynaud's phenomenon in Great Britain and its relation to hand transmitted vibration: a national postal survey, **448**
Validity of self reported occupational exposures to hand transmitted and whole body vibration, **237**
Pannett B *see* Kauppinen T *et al*
see Palmer KT *et al*
see Palmer KT *et al*
see Palmer KT *et al*
Parent M *et al*. Workplace exposures and oesophageal cancer, **325**
Park H-S *see* Hong Y-C *et al*
Partanen TJ *see* Ojajärvi IA *et al*
Pascual C *see* Rodrigo MJ *et al*
Pedersen D *see* Kauppinen T *et al*
Pekkanen J *et al*. Daily concentrations of air pollution and plasma fibrinogen in London, **818**
Pellet F *see* Wild P *et al*
Pemberton MA *see* Tomenson JA *et al*
Perdrix A *see* Wild P *et al*
Persson B *see* Järup L *et al*
Petersen MB *see* Dean G *et al*
Petersen R *et al*. Half life of chromium in serum and urine in a former plasma cutter of stainless steel, **140**
Peterson KE *see* Brown MJ *et al*
Pettersson C *see* Järup L *et al*
Philipp R *et al*. Health risks from exposure to cadmium in soil: *correspondence*, **647**
Phillimore P *see* Pless-Mulloli T *et al*
Piciotti M *see* Niedhammer I *et al*
Pickering CAC *see* niven RM *et al*
see Vyas A *et al*
Plato N *see* Kauppinen T *et al*
Pless-Mulloli T *et al*. Is it feasible to construct a community profile of exposure to industrial air pollution?, **542**
Living near opencast coal mining sites and children's respiratory health, **145**
Poche SL *see* Ott MG *et al*
Pope DP *see* van der Windt DAWM *et al*
Porta M *see* Ojajärvi IA *et al*
Poschadel B *see* Wegner R *et al*
Potter IN *see* niven RM *et al*
Potter PDR *see* niven RM *et al*
Powell R *see* Booth N *et al*
Prescott GJ *et al*. Investigation of factors which might indicate susceptibility to particulate air pollution, **53**
Przybilla B-J *see* Radon K *et al*

Quinn M *see* Elliott P *et al*
see Philipp R *et al*

Radon K *et al*. Incidence of cancer among commercial airline pilots: *correspondence*, **843**
Rafnsson V *see* Radon K *et al*
Rafnsson V *et al*. Incidence of cancer among commercial airline pilots, **175**
Ratzon N *et al*. Effect of exposure to lead on postural control in workers, **201**
Rees D *see* Kielkowski D *et al*
Rees H *see* Lyons RA *et al*
Rehder U *see* Latza U *et al*
Renzi D *see* Monarca S *et al*
Ribak J *see* Ratzon N *et al*
Rijcken B *see* le Moual N *et al*
Riordan SG *see* Collins JJ and Riordan SG
Ritchie KA *see* Macdonald EB *et al*
Rodrigo MJ *et al*. Detection of specific antibodies to pigeon serum and bloom antigens by enzyme linked immunosorbent assay in pigeon breeder's disease, **159**
Roels HA *see* Swennen B *et al*
see Viaene MK *et al*
Roman E *see* Kinlen LJ *et al*
Romazini S *see* Wild P *et al*
Romundstad P *et al*. Lung and bladder cancer among workers in a Norwegian aluminium reduction plant, **495**
Roncaglia R *see* Bargellini A *et al*
Rosato M *see* Elliott P *et al*
Rosell M *see* Rodrigo MJ *et al*
Rosenberg J *see* Langård S *et al*
Rossi A *see* Donato F *et al*
Routledge P *see* Lyons RA *et al*
Rovesti S *see* Bargellini A *et al*
Ruhnau P *see* Bünger J *et al*
Rushton L. Reporting of occupational and environmental research: use and misuse of statistical and epidemiological methods, **1**
Ryan L *see* Chen D *et al*
Rylander L *see* Littorin M *et al*

Sabroe S *see* Kaerlev L *et al*
Sadigh J *see* Thörn A *et al*
Sales EA *see* Huebner WW *et al*
Sandmark H. Musculoskeletal dysfunction in physical education teachers, **673**
Sanin L-H *see* Brown MJ *et al*
Sapelli P *see* Monarca S *et al*
Saracci R *see* Chiazze Jr L *et al*
Saundby P, Edgington K. Pilots' fitness, a time for questions: *correspondence*, **69**
Saurel-Cubizolles M-J *see* Niedhammer I *et al*
Savela A *see* Kauppinen T *et al*
Savitz DA *see* van Wijngaarden E *et al*
Schmidt BA *see* Huebner WW *et al*
Schnaas L *see* Brown MJ *et al*
Schnatter AR *see* Lewis RJ *et al*
Schoemaker MJ *et al*. Non-fatal work related injuries in a cohort of Brazilian steelworkers, **555**
Schütz A *see* Järup L *et al*

Schulz TG *see* Bünger J *et al*
Schwartz J *see* Chuang H-Y *et al*
Schwartz J. Daily deaths are associated with combustion particles rather than SO_2 in Philadelphia, **692**
Searl A *see* Wilson MR *et al*
Seaton A *see* Semple S *et al*
Seidner A *see* Cherniack M *et al*
Semple S *et al.* Impairment of colour vision in workers exposed to organic solvents, **582**
Sevier TL. The industrial athlete?: *correspondence*, **285**
Shih T-S *et al.* Haematological and spermatotoxic effects of ethylene glycol monomethyl ether in copper clad laminate factories, **348**
Shimaoka M *see* Ando S *et al*
Shimizu H *see* Kawakami N *et al*
Shimoda T *see* Obase Y *et al*
Siebeck M *see* Radon K *et al*
Siemiatycki J *see* Parent M *et al*
Silman AJ *see* van der Windt DAWM *et al*
Sim MR *see* Musk AW *et al*
Simwa JM *see* Ohayo-Mitoko GJA *et al*
Sinclair MJ *see* Donoghue AM *et al*
Sjögren B. Non-neoplastic mortality of European workers who produce man made vitreous fibres: *correspondence*, **284**
Skarping G *see* Littorin M *et al*
Skerfving S *see* Littorin M *et al*
Skogstad M *et al.* Lung function over the first 3 years of a professional diving career, **390**
Sluiter JK *et al.* Reactivity and recovery from different types of work measured by catecholamines and cortisol: a systematic literature overview: *review*, **298**
Smith L *see* Tucker P *et al*
Smith TJ *see* Chen D *et al*
Smits PBA *et al.* Evaluation of a postgraduate educational programme for occupational physicians on work rehabilitation guidelines for patients with low back pain, **645**
Somervaille L *see* Järvholm B *et al*
Sorahan T *see* Straughan JK and Sorahan T
see Veys CA *et al*
Sorahan T, Harrington JM. Lung cancer in Yorkshire chrome platers, 1972–97, **385**
Sorahan T *et al.* A further cohort study of workers employed at a factory manufacturing chemicals for the rubber industry, with special reference to the chemicals 2-mercaptobenzothiazole (MBT), aniline, phenyl-β-naphthylamine and *o*-toluidine, **106**
Soutar A *see* Semple S *et al*
Spang G *see* Järup L *et al*
Staessen JA *et al.* Modern approaches to blood pressure measurement, **510**
Stang A *see* Kaerlev L *et al*
Steiner M *see* Latza U *et al*
Stewart PA *see* Vaughan TL *et al*
Stokes L *see* McNeill FE *et al*
Stokkentreeff M *see* Brouwer EJ *et al*
Stone I *see* Pless-Mulloli T *et al*
Stone V *see* Brown DM *et al*
see Wilson MR *et al*
Strachan D *see* Newson R *et al*
Straif K *et al.* Exposure to high concentrations of nitrosamines and cancer mortality among a cohort of rubber workers, **180**
Straughan JK, Sorahan T. Cohort mortality and cancer incidence survey of recent entrants (1982–91) to the United Kingdom rubber industry: preliminary findings, **574**
Strömberg U *see* Littorin M *et al*
Sturmer T *see* Latza U *et al*
Suárez-Varela MMM *see* Kaerlev L *et al*
Swaen GMH *see* Beurskens AJHM *et al*
Swanson GM *see* Vaughan TL *et al*
Swennen B *et al.* Epidemiological survey of workers exposed to inorganic germanium compounds, **242**
Swerdlow AJ *see* Schoemaker MJ *et al*
Swerts LJVC *see* Viaene MK *et al*
Syddall H *see* Palmer KT *et al*
Szadkowski D *see* Wegner R *et al*

Taeger D *see* Straif K *et al*
Takeuchi Y *see* Ando S *et al*
Taylor AJN *see* Hole AM *et al*
Teglbjaerg PS *see* Kaerlev L *et al*
Teschke K *see* Vaughan TL *et al*
Thijs L *see* Staessen JA *et al*
Thirion B *see* Gehanno JF and Thirion B
Thomas E *see* van der Windt DAWM *et al*
Thompson FS *see* Lewis RJ *et al*
Thomsen JF *see* Petersen R *et al*
Thörn A *et al.* Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides, **718**
Thornton I *see* Elliott P *et al*
see Philipp R *et al*
Thorsen E *see* Skogstad M *et al*
Tiikkainen U *see* Vanhanen M *et al*
Tiittanen P *see* Pekkanen J *et al*
Tirmarche M *see* Baysson H *et al*
Toamain J-P *see* Bohadana AB *et al*
Toikkanen J *see* Kauppinen T *et al*
Toledano M *see* Elliott P *et al*
Toledano MB *see* Nieuwenhuijsen MJ *et al*
Tomenson JA *et al.* Study of two cohorts of workers exposed to methyl methacrylate in acrylic sheet production, **810**
Tristan E *see* Elliott P *et al*
Tsai S-Y *see* Chuang H-Y *et al*
Tucker P *et al.* Effects of direction of rotation in continuous and discontinuous 8 hour shift systems, **678**
Tulinius H *see* Radon K *et al*
see Rafnsson V *et al*
Tuomi T *see* Vanhanen M *et al*
Tupasela O *see* Vanhanen M *et al*
Turner S, Cherry N. Rheumatoid arthritis in workers exposed to silica in the pottery industry, **443**

Vahtera J *see* Kivimäki M *et al*
Vainio HU *see* Ojajärvi IA *et al*
Valenty M *see* Baysson H *et al*
Vander M *see* Buchdahl R *et al*
van der Beek AJ *see* Sluiter JK *et al*
Vandersmissen G *et al.* Occupational risk of infection by varicella zoster virus in Belgian healthcare workers: a seroprevalence study, **621**
van der Windt DAWM *et al.* Occupational risk factors for shoulder pain: a systematic review: *review*, **433**
van Dijk FJH *see* Smits PBA *et al*
Vanhanen M *et al.* Risk of enzyme allergy in the detergent industry, **121**
van Sittert NJ *see* Brouwer EJ *et al*
see Verplanke AJW *et al*
van Wijngaarden E *et al.* Exposure to electromagnetic fields and suicide among electric utility workers: a nested case-control study, **258**
Vaughan TL *et al.* Occupational exposure to formaldehyde and wood dust and nasopharyngeal carcinoma, **376**
Venn A *et al.* Local road traffic activity and the prevalence, severity, and persistence of wheeze in school children: combined cross sectional and longitudinal study, **152**
Verbeek JHAM *see* Smits PBA *et al*
Vercoulen JHMM *see* Beurskens AJHM *et al*
Verplanke AJW *see* Brouwer EJ *et al*
Verplanke AJW *et al.* Occupational exposure to *cis*-1,3-dichloropropene: biological effect monitoring of kidney and liver function, **745**
Veys CA *et al.* PBN as a possible bladder carcinogen: *correspondence*, **500**
Viaene MK *et al.* Neurobehavioural effects of occupational exposure to cadmium: a cross sectional epidemiological study, **19**
Villeneuve PJ *et al.* Non-Hodgkin's lymphoma among electric utility workers in Ontario: the evaluation of alternate indices of exposure to 60 Hz electric and magnetic fields, **249**
Vincent R *see* Kauppinen T *et al*
Vivoli R *see* Bargellini A *et al*
Volkenandt M *see* Radon K *et al*
Voutilainen R *see* Vanhanen M *et al*
Vranckx R *see* Vandersmissen G *et al*
Vyas A *et al.* Survey of symptoms, respiratory function, and immunology and their relation to glutaraldehyde and other occupational exposures among endoscopy nursing staff, **752**

Waclawski ER. Prevalence and risk factors for latex allergy: a cross sectional study in a United Kingdom hospital: *correspondence*, **501**
Wagner JC *see* Berry G *et al*
Wakefield J *see* Elliott P *et al*
Wang J *see* Chuang H-Y *et al*
Wang X *see* Chen D *et al*
Watkins DK *see* Chiazze Jr L *et al*
Wegner R *et al.* Lung function, biological monitoring, and biological effect monitoring of gemstone cutters exposed to beryls, **133**
Weiderpass E *see* Ojajärvi IA *et al*
Weiland SK *see* Straif K *et al*
Weiss W. Asbestosis and lobar site of lung cancer, **358**
Welinder H *see* Littorin M *et al*
Wen SW *see* Li C-Y *et al*
Wendt JK *see* Finkelstein MM *et al*
Wesseling CH *see* Ojajärvi IA *et al*
Westerlund-Hännestrand B *see* Thörn A *et al*
Westphal GA *see* Bünger J *et al*
Wild P *see* Bohadana AB *et al*
Wild P *et al.* Lung cancer mortality in a site producing hard metals, **568**
Willems CD *see* Buchdahl R *et al*
Williamson AM *see* Feyer A-M *et al*
Williamson AM, Feyer A-M. Moderate sleep deprivation produces impairments in cognitive and motor performance equivalent to legally prescribed levels of alcohol intoxication, **649**
Wilson MR *et al.* In vitro toxicology of respirable Montserrat volcanic ash, **727**
Wright D *see* Lyons RA *et al*
Wu SC *see* Li C-Y *et al*

Wu XC *see* Huebner WW *et al*

Xu X *see* Chen D *et al*

Yamaguchi H *see* Kumagai S *et al*
Yasuda N *see* Kumagai S *et al*
Yi S *see* Straif K *et al*

Young R *see* Kauppinen T *et al*

Zagury E *et al*. Exposure of Paris taxi drivers to automobile air pollutants within their vehicles, **406**
Zambon F *see* de Zotti R *et al*
Zerbini I *see* Monarca S *et al*

VOLUME 57 • SUBJECT INDEX

actinomycetes, Health complaints and immunological markers of exposure to bioaerosols among biowaste collectors and compost workers, **458**
activity of daily living, Longest held occupation in a lifetime and risk of disability in activities of daily living, **550**
adenocarcinoma, Occupation and small bowel adenocarcinoma: a European case-control study, **760**
aeroallergens, Fungal and other spore counts as predictors of admissions for asthma in the Trent region, **786**
aetiology, Incidence of cancer among workers exposed to vinyl chloride in polyvinyl chloride manufacture, **65**
Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**
agricultural workers, Self reported symptoms and inhibition of acetylcholinesterase activity among Kenyan agricultural workers, **195**
air pollution, Associations between ambient ozone, hydrocarbons, and childhood wheezy episodes: a prospective observational study in south east London, **86**
Daily concentrations of air pollution and plasma fibrinogen in London, **818**
Daily deaths are associated with combustion particles rather than SO_2 in Philadelphia, **692**
Respiratory diseases in children and outdoor air pollution in São Paulo, Brazil: a time series analysis, **477**
airline pilots, Incidence of cancer among commercial airline pilots: *correspondence*, **843**
alcohol, Moderate sleep deprivation produces impairments in cognitive and motor performance equivalent to legally prescribed levels of alcohol intoxication, **649**
alertness, Effects of direction of rotation in continuous and discontinuous 8 hour shift systems, **678**
allergy, Prevalence and risk factors for latex allergy: a cross sectional study in a United Kingdom hospital: *correspondence*, **501**
Prevalence and risk factors for latex allergy: *correspondence*, **501**
Risk of enzyme allergy in the detergent industry, **121**
alumina, Respiratory symptoms and lung function in alumina refinery employees, **279**
aluminium, Respiratory symptoms and lung function in alumina refinery employees, **279**
ambient, Personal exposures of children to nitrogen dioxide relative to concentrations in outdoor air, **472**
ambulatory blood pressure, Modern approaches to blood pressure measurement, **510**
amylase, Occupational asthma caused by bacillary amylase used in the detergent industry, **840**
α-amylase sensitisation Prospective study of work related respiratory symptoms in trainee bakers, **58**
angiosarcoma, Historical cohort study of 10 109 men in the North American vinyl chloride industry, 1942–72: update of cancer mortality to 31 December 1995, **774**
aniline, A further cohort study of workers employed at a factory manufacturing chemicals for the rubber industry, with special reference to the chemicals 2-mercaptobenzothiazole (MBT), aniline, phenyl-β-naphthylamine and *o*-toluidine, **106**
antibodies, Detection of specific antibodies to pigeon serum and bloom antigens by enzyme linked immunosorbent assay in pigeon breeder's disease, **159**
Exposure biomarkers and risk from gluing and heating of polyurethane: a cross sectional study of respiratory symptoms, **396**
asbestos, Asbestosis and lobar site of lung cancer, **358**
Mortality from all cancers of asbestos factory workers in east London 1933–80, **782**
Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study, **563**
asbestosis, Asbestosis and lobar site of lung cancer, **358**
assessment, Validity of self reported occupational exposures to hand transmitted and whole body vibration, **237**
asthma, Development of an asthma specific job exposure matrix and its application in the epidemiological study of genetics and environment in asthma (EGEA), **635**
Fungal and other spore counts as predictors of admissions for asthma in the Trent region, **786**
Two cases of paraoccupational asthma due to toluene diisocyanate (TDI), **837**
Two patients with occupational asthma who returned to work with dust respirators, **62**
attributable number, Prevalence of Raynaud's phenomenon in Great Britain and its relation to hand transmitted vibration: a national postal survey, **448**

bacterial contamination, Evaluation of environmental bacterial contamination and procedures to control cross infection in a sample of Italian dental surgeries, **721**
bakers, Exposure-response relations for self reported asthma and rhinitis in bakers, **335**
bauxite, Respiratory symptoms and lung function in alumina refinery employees, **279**
beech, Symptoms, airway responsiveness, and exposure to dust in beech and oak wood workers, **268**
benzene, Exposure to benzene, occupational stress, and reduced birth weight, **661**
beryllium in urine, Lung function, biological monitoring, and biological effect monitoring of gemstone cutters exposed to beryls, **133**
bibliographic databases, How to select publications on occupational health: the usefulness of Medline and the impact factor, **706**
biological monitoring, Epidemiological survey of workers exposed to inorganic germanium compounds, **242**
birth weight, Exposure to benzene, occupational stress, and reduced birth weight, **661**
bladder cancer, Mortality surveillance and occupational hazards: the Solutia mortality experience 1980–94, **710**
PBN as a possible bladder carcinogen: *correspondence*, **500**
block-hours, Incidence of cancer among commercial airline pilots, **175**
blood lead, Determinants of bone and blood lead concentrations in the early postpartum period, **535**
Vibration perception thresholds in workers with long term exposure to lead, **588**
body mass index, Musculoskeletal dysfunction in physical education teachers, **673**
bone lead, Determinants of bone and blood lead concentrations in the early postpartum period, **535**
brain, Historical cohort study of 10 109 men in the North American vinyl chloride industry, 1942–72: update of cancer mortality to 31 December 1995, **774**
bronchial hyperresponsiveness, Symptoms, airway responsiveness, and exposure to dust in beech and oak wood workers, **268**
buckwheat flour, Two patients with occupational asthma who returned to work with dust respirators, **62**
building sickness syndrome, Building sickness syndrome in healthy and unhealthy buildings: an epidemiological and environmental assessment with cluster analysis, **627**
burnout, Relation between immune variables and burnout in a sample of physicians, **453**

cadmium, Health risks from exposure to cadmium in soil: *correspondence*, **647**
Low level exposure to cadmium and early kidney damage: the OSCAR study, **668**
Neurobehavioural effects of occupational exposure to cadmium: a cross sectional epidemiological study, **19**
Risk of mortality, cancer incidence, and stroke in a population potentially exposed to cadmium, **94**
calcium, Increased inflammation and intracellular calcium caused by ultrafine carbon black is independent of transition metals or other soluble components, **685**
cancer, Cancer in veterinarians: *review*, **289**
Childhood cancer and possible exposure to benzene from traffic and petrol stations: *correspondence*, **500**
Epidemiological response to a suspected excess of cancer among a group of workers exposed to multiple radiological and chemical hazards, **188**
Incidence of cancer among commercial airline pilots: *correspondence*, **843**
Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides, **718**
Mortality from all cancers of asbestos factory workers in east London 1933–80, **782**
cancer incidence, Lung and bladder cancer among workers in a Norwegian aluminium reduction plant, **495**
Risk of mortality, cancer incidence, and stroke in a population potentially exposed to cadmium, **94**
cancer mortality, Exposure to high concentrations of nitrosamines and cancer mortality among a cohort of rubber workers, **180**
cancer registry, Incidence of cancer among commercial airline pilots, **175**
carbon electrode manufacturing, Mortality from cancer and chronic respiratory diseases among workers who manufacture carbon electrodes, **484**
carcinogen, Occupational exposure to carcinogens in the European Union, **10**
case-control, Development of an asthma specific job exposure matrix and its application in the epidemiological study of genetics and environment in asthma (EGEA), **635**
caustic mist, Respiratory symptoms and lung function in alumina refinery employees, **279**
chemical, Investigation of an acute chemical incident: exposure to fluorinated hydrocarbons, **577**
childhood, ^{109}Cd K *x* ray fluorescence measurements of tibial lead content in young adults exposed to lead in early childhood, **465**

childhood leukaemia, Childhood leukaemia, population mixing, and paternal occupation: *correspondence*, **144**
childhood wheezing, Associations between ambient ozone, hydrocarbons, and childhood wheezy episodes: a prospective observational study in south east London, **86**
children, Childhood cancer and possible exposure to benzene from traffic and petrol stations: *correspondence*, **500**
Local road traffic activity and the prevalence, severity, and persistence of wheeze in school children: combined cross sectional and longitudinal study, **152**
chlorination, Chlorination disinfection byproducts in water and their association with adverse reproductive outcomes: a review: *review*, **73**
cholinesterase inhibition, Self reported symptoms and inhibition of acetylcholinesterase activity among Kenyan agricultural workers, **195**
chromium half life, Half life of chromium in serum and urine in a former plasma cutter of stainless steel, **140**
chromium plating, Lung cancer in Yorkshire chrome platers, 1972–97, **385**
chronic lymphocytic leukaemia, Incidence of lymphohaematopoietic malignancies in a petrochemical industry cohort: 1983–94 follow up, **605**
***cis*-1,3-dichloropropene,** Personal air sampling and biological monitoring of occupational exposure to the soil fumigant *cis*-1,3-dichloropropene, **738**
Occupational exposure to *cis*-1,3-dichloropropene: biological effect monitoring of kidney and liver function, **745**
cluster, Epidemiological response to a suspected excess of cancer among a group of workers exposed to multiple radiological and chemical hazards, **188**
Investigation of a cluster of children with Down's syndrome born to mothers who had attended a school in Dundalk, Ireland, **793**
coal dust, Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: a case-control study in France, **767**
cohort, Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study, **563**
cohort study, Cohort study of occupational risk factors of low back pain in construction workers, **28**
Cohort mortality and cancer incidence survey of recent entrants (1982–91) to the United Kingdom rubber industry: preliminary findings, **574**
Incidence of cancer among workers exposed to vinyl chloride in polyvinyl chloride manufacture, **65**
cold challenge plethysmography, Vibration exposure, smoking, and vascular dysfunction, **341**
colour vision, Impairment of colour vision in workers exposed to organic solvents, **582**
community exposure, Is it feasible to construct a community profile of exposure to industrial air pollution?, **542**
competencies, Requirements for occupational medicine training in Europe: a Delphi study, **98**
connective tissue, Historical cohort study of 10 109 men in the North American vinyl chloride industry, 1942–72: update of cancer mortality to 31 December 1995, **774**
construction industry, Cohort study of occupational risk factors of low back pain in construction workers, **28**
Sickness absence and early retirement on health grounds in the construction industry in Ireland, **615**
constructions workers, Cancers in concrete workers: results of a cohort study of 33 668 workers, **264**
continuous burning, Polychlorinated dibenzo-*p*-dioxin and dibenzofuran concentrations in the serum samples of workers at continuously burning municipal waste incinerators in Japan, **204**
cosmic radiation, Incidence of cancer among commercial airline pilots, **175**
cristobalite, In vitro toxicology of respirable Montserrat volcanic ash, **727**
cross infection control procedures, Evaluation of environmental bacterial contamination and procedures to control cross infection in a sample of Italian dental surgeries, **721**
crude oil, Update of a study of crude oil production workers 1946–94, **411**

Delphi study, Requirements for occupational medicine training in Europe: a Delphi study, **98**
dental surgeries, Evaluation of environmental bacterial contamination and procedures to control cross infection in a sample of Italian dental surgeries, **721**
dermal penetration, Dermal in vitro penetration of methiocarb, paclobutrazol, and pirimicarb, **734**
detergent enzymes, Risk of enzyme allergy in the detergent industry, **121**
Occupational asthma caused by bacillary amylase used in the detergent industry, **840**
disinfection byproducts, Chlorination disinfection byproducts in water and their association with adverse reproductive outcomes: a review: *review*, **73**
diving, Lung function over the first 3 years of a professional diving career, **390**
Down's syndrome, Investigation of a cluster of children with Down's syndrome born to mothers who had attended a school in Dundalk, Ireland, **793**

early retirement, Sickness absence and early retirement on health grounds in the construction industry in Ireland, **615**
editorial, *Occupational and Environmental Medicine*: on line and further developments to come: www.oem.bmjjournals.com: *editorial*, **217**
electric fields, Non-Hodgkin's lymphoma among electric utility workers in Ontario: the evaluation of alternate indices of exposure to 60 Hz electric and magnetic fields, **249**
electromagnetic fields, Exposure to electromagnetic fields and suicide among electric utility workers: a nested case-control study, **258**
ELISA, Detection of specific antibodies to pigeon serum and bloom antigens by enzyme linked immunosorbent assay in pigeon breeder's disease, **159**
environment, Health risks from exposure to cadmium in soil: *correspondence*, **647**
^{109}Cd K *x* ray fluorescence measurements of tibial lead content in young adults exposed to lead in early childhood, **465**
environmental, Low level exposure to cadmium and early kidney damage: the OSCAR study, **668**
environmental exposure, Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study, **563**
environmental provocation test, Two patients with occupational asthma who returned to work with dust respirators, **62**
epidemiological methods, Development of an asthma specific job exposure matrix and its application in the epidemiological study of genetics and environment in asthma (EGEA), **635**
Reporting of occupational and environmental research: use and misuse of statistical and epidemiological methods, **1**
epidemiology, Epidemiological response to a suspected excess of cancer among a group of workers exposed to multiple radiological and chemical hazards, **188**
How is sex considered in recent epidemiological publications on occupational risks?: *review*, **521**
Updated mortality among diverse operating segments of a petroleum company, **595**
equilibrium, Effect of exposure to lead on postural control in workers, **201**
ethylene glycol monomethyl ether, Haematological and spermatotoxic effects of ethylene glycol monomethyl ether in copper clad laminate factories, **348**
Europe, Occupational exposure to carcinogens in the European Union, **10**
evaluation, Evaluation of a postgraduate educational programme for occupational physicians on work rehabilitation guidelines for patients with low back pain, **645**
exposure, Incidence of cancer among workers exposed to vinyl chloride in polyvinyl chloride manufacture, **65**
Occupational exposure to carcinogens in the European Union, **10**
Prevalence and pattern of occupational exposure to hand transmitted vibration in Great Britain: findings from a national survey, **218**
Prevalence and pattern of occupational exposure to whole body vibration in Great Britain: findings from a national survey, **229**
Validity of self reported occupational exposures to hand transmitted and whole body vibration, **237**
exposure assessment, Exposure of Paris taxi drivers to automobile air pollutants within their vehicles, **406**
Is it feasible to construct a community profile of exposure to industrial air pollution?, **542**
exposure to bioaerosols, Health complaints and immunological markers of exposure to bioaerosols among biowaste collectors and compost workers, **458**
exposure to lead, Effect of exposure to lead on postural control in workers, **201**
exposure-response, Mortality from all cancers of asbestos factory workers in east London 1933–80, **782**
exposure-response relations, Exposure-response relations for self reported asthma and rhinitis in bakers, **335**

farmers, Suicide in the farming community: methods used and contact with health services, **642**
fatigue, Fatigue among working people: validity of a questionnaire measure, **353**
fibrinogen, Daily concentrations of air pollution and plasma fibrinogen in London, **818**
Investigation of factors which might indicate susceptibility to particulate air pollution, **53**
finger circulation, Acute vascular responses to the frequency of vibration transmitted to the hand, **422**
firefighters, Influence of genetic susceptibility on the urinary excretion of 8-hydroxydeoxyguanosine of firefighters, **370**
fitness, Pilots' fitness, a time for questions: *correspondence*, **69**
flour dust, Exposure-response relations for self reported asthma and rhinitis in bakers, **335**
follow up study, Lung function over the first 3 years of a professional diving career, **390**

Musculoskeletal disorders of the neck and shoulders in female sewing machine operators: prevalence, incidence, and prognosis, **528**
Prospective study of work related respiratory symptoms in trainee bakers, **58**
formaldehyde, Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: a case-control study in France, **767**
Occupational exposure to formaldehyde and wood dust and nasopharyngeal carcinoma, **376**
France, Future trends in mortality of French men from mesothelioma, **488**
frequency weighted acceleration magnitude, Acute vascular responses to the frequency of vibration transmitted to the hand, **422**
fungi, Fungal and other spore counts as predictors of admissions for asthma in the Trent region, **786**

gemstone cutter, Lung function, biological monitoring, and biological effect monitoring of gemstone cutters exposed to beryls, **133**
genetic polymorphisms, Impairment of colour vision in workers exposed to organic solvents, **582**
glutaraldehyde, Survey of symptoms, respiratory function, and immunology and their relation to glutaraldehyde and other occupational exposures among endoscopy nursing staff, **752**
glycosylated haemoglobin, Job strain, social support in the workplace, and haemoglobin A1c in Japanese men, **805**
guidelines, Evaluation of a postgraduate educational programme for occupational physicians on work rehabilitation guidelines for patients with low back pain, **645**
guidelines, COPE guidelines on good publication practice: *editorial*, **505**

haematological disorders, Haematological and spermatotoxic effects of ethylene glycol monomethyl ether in copper clad laminate factories, **348**
haemostatic factors, Daily concentrations of air pollution and plasma fibrinogen in London, **818**
hand transmitted vibration, Prevalence and pattern of occupational exposure to hand transmitted vibration in Great Britain: findings from a national survey, **218**
hand-arm vibration syndrome, Cross sectional study of a workforce exposed to hand-arm vibration: with objective tests and the Stockholm workshop scales, **35**
hard metals, Lung cancer mortality in a site producing hard metals, **568**
health, Effects of direction of rotation in continuous and discontinuous 8 hour shift systems, **678**
Workplace bullying and sickness absence in hospital staff, **656**
health effects, Self reported symptoms and inhibition of acetylcholinesterase activity among Kenyan agricultural workers, **195**
healthcare workers, Occupational risk of infection by varicella zoster virus in Belgian healthcare workers: a seroprevalence study, **621**
Prevalence and risk factors for latex allergy: a cross sectional study in a United Kingdom hospital: *correspondence*, **501**
Prevalence and risk factors for latex allergy: *correspondence*, **501**
hearing, Strategy for prevention and control of the risks due to noise, **361**
hearing conservation programmes, Strategy for prevention and control of the risks due to noise, **361**
heat, Heat exhaustion in a deep underground metalliferous mine, **165**
heptachlorodibenzofuran, Polychlorinated dibenzo-*p*-dioxin and dibenzofuran concentrations in the serum samples of workers at continuously burning municipal waste incinerators in Japan, **204**
hierarchical models, Daily deaths are associated with combustion particles rather than SO_2 in Philadelphia, **692**
hip osteoarthrosis, Musculoskeletal dysfunction in physical education teachers, **673**
historical cohort study, Mortality from cancer and chronic respiratory diseases among workers who manufacture carbon electrodes, **484**
hospital admissions, Fungal and other spore counts as predictors of admissions for asthma in the Trent region, **786**
Respiratory diseases in children and outdoor air pollution in São Paulo, Brazil: a time series analysis, **477**
hospital staff, Workplace bullying and sickness absence in hospital staff, **656**
hydrocarbons, Associations between ambient ozone, hydrocarbons, and childhood wheezy episodes: a prospective observational study in south east London, **86**
8-hydroxydeoxyguanosine, Influence of genetic susceptibility on the urinary excretion of 8-hydroxydeoxyguanosine of firefighters, **370**
hypopharyngeal cancer, Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: a case-control study in France, **767**

IgG antibodies, Health complaints and immunological markers of exposure to bioaerosols among biowaste collectors and compost workers, **458**
immune variables, Relation between immune variables and burnout in a sample of physicians, **453**
impact factor, How to select publications on occupational health: the usefulness of Medline and the impact factor, **706**
in vitro, Dermal in vitro penetration of methiocarb, paclobutrazol, and pirimicarb, **734**
incidence, Incidence of lymphohaematopoietic malignancies in a petrochemical industry cohort: 1983–94 follow up, **605**
Reported incidence of occupational asthma in the United Kingdom, 1989–97, **823**
industrial pollution, Is it feasible to construct a community profile of exposure to industrial air pollution?, **542**
injuries, Non-fatal work related injuries in a cohort of Brazilian steelworkers, **555**
The industrial athlete?: *correspondence*, **285**
inorganic germanium, Epidemiological survey of workers exposed to inorganic germanium compounds, **242**
ischaemic heart disease, Non-neoplastic mortality of European workers who produce man made vitreous fibres: *correspondence*, **284**
isocyanates, Exposure biomarkers and risk from gluing and heating of polyurethane: a cross sectional study of respiratory symptoms, **396**
Isocyanate exposure and occupational asthma: a case-referent study, **830**

Japan, Job strain, social support in the workplace, and haemoglobin A1c in Japanese men, **805**
job exposure matrix, Development of an asthma specific job exposure matrix and its application in the epidemiological study of genetics and environment in asthma (EGEA), **635**
Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: a case-control study in France, **767**
Performance of population specific job exposure matrices (JEMs): European collaborative analyses on occupational risk factors for chronic obstructive pulmonary disease with job exposure matrices (ECOJEM), **126**
job strain, Job strain, social support in the workplace, and haemoglobin A1c in Japanese men, **805**

Kenya, Self reported symptoms and inhibition of acetylcholinesterase activity among Kenyan agricultural workers, **195**
kidney, Occupational exposure to *cis*-1,3-dichloropropene: biological effect monitoring of kidney and liver function, **745**
knee osteoarthrosis, Musculoskeletal dysfunction in physical education teachers, **673**

laryngeal cancer, Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: a case-control study in France, **767**
latex, Prevalence and risk factors for latex allergy: a cross sectional study in a United Kingdom hospital: *correspondence*, **501**
Prevalence and risk factors for latex allergy: *correspondence*, **501**
Survey of symptoms, respiratory function, and immunology and their relation to glutaraldehyde and other occupational exposures among endoscopy nursing staff, **752**
latitude, Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**
lead, ^{109}Cd K *x* ray fluorescence measurements of tibial lead content in young adults exposed to lead in early childhood, **465**
leukaemia, Mortality surveillance and occupational hazards: the Solutia mortality experience 1980–94, **710**
liver, Historical cohort study of 10 109 men in the North American vinyl chloride industry, 1942–72: update of cancer mortality to 31 December 1995, **774**
Occupational exposure to *cis*-1,3-dichloropropene: biological effect monitoring of kidney and liver function, **745**
log linear autoregression, Fungal and other spore counts as predictors of admissions for asthma in the Trent region, **786**
low back pain, Cohort study of occupational risk factors of low back pain in construction workers, **28**
Evaluation of a postgraduate educational programme for occupational physicians on work rehabilitation guidelines for patients with low back pain, **645**
The role of physical and psychological factors in occupational low back pain: a prospective cohort study, **116**
low frequency noise, Building sickness syndrome in healthy and unhealthy buildings: an epidemiological and environmental assessment with cluster analysis, **627**
lumberjacks, Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides, **718**
lung cancer, Asbestosis and lobar site of lung cancer, **358**
Cohort mortality and cancer incidence survey of recent entrants (1982–91) to the United Kingdom rubber industry: preliminary findings, **574**
Lung cancer in Yorkshire chrome platers, 1972–97, **385**
Lung cancer mortality in a site producing hard metals, **568**
Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study, **563**
Update of the Texaco mortality study 1947–93: part II: *correspondence*, **143**

lung function, Non-neoplastic mortality of European workers who produce man made vitreous fibres: *correspondence*, **284**
Performance of population specific job exposure matrices (JEMs): European collaborative analyses on occupational risk factors for chronic obstructive pulmonary disease with job exposure matrices (ECOJEM), **126**
lung function decrement, Respiratory health surveillance in a toluene di-isocyanate production unit, 1967–97: clinical observations and lung function analyses, **43**
lymphocyte transformation test, Lung function, biological monitoring, and biological effect monitoring of gemstone cutters exposed to beryls, **133**
lymphohaematopoietic, Incidence of lymphohaematopoietic malignancies in a petrochemical industry cohort: 1983–94 follow up, **605**

magnetic fields, Non-Hodgkin's lymphoma among electric utility workers in Ontario: the evaluation of alternate indices of exposure to 60 Hz electric and magnetic fields, **249**
malignant melanoma of the skin, Incidence of cancer among commercial airline pilots, **175**
man made mineral fibres, Non-neoplastic mortality of European workers who produce man made mineral fibres: *correspondence*, **648**
man made vitreous fibres, Non-neoplastic mortality of European workers who produce man made vitreous fibres: *correspondence*, **284**
maternal exposure, Investigation of a cluster of children with Down's syndrome born to mothers who had attended a school in Dundalk, Ireland, **793**
measurement, Fatigue among working people: validity of a questionnaire measure, **353**
Medline, How to select publications on occupational health: the usefulness of Medline and the impact factor, **706**
melanomas, Incidence of cancer among workers exposed to vinyl chloride in polyvinyl chloride manufacture, **65**
2-mercaptobenzothiazole, A further cohort study of workers employed at a factory manufacturing chemicals for the rubber industry, with special reference to the chemicals 2-mercaptobenzothiazole (MBT), aniline, phenyl-β-naphthylamine and *o*-toluidine, **106**
mesothelioma, Future trends in mortality of French men from mesothelioma, **488**
Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study, **563**
Update of the Texaco mortality study 1947–93: part II: *correspondence*, **143**
meta-analysis, Occupational exposures and pancreatic cancer: a meta-analysis, **316**
metabolites, Exposure biomarkers and risk from gluing and heating of polyurethane: a cross sectional study of respiratory symptoms, **396**
methyl methacrylate, Study of two cohorts of workers exposed to methyl methacrylate in acrylic sheet production, **810**
miners, Lung function prediction equations derived from healthy South African gold miners, **698**
mining, Heat exhaustion in a deep underground metalliferous mine, **165**
mobile phones, Cerebral symptoms from mobile telephones: *correspondence*, **431**
mortality, Daily deaths are associated with combustion particles rather than SO_2 in Philadelphia, **692**
Epidemiological response to a suspected excess of cancer among a group of workers exposed to multiple radiological and chemical hazards, **188**
Risk of mortality, cancer incidence, and stroke in a population potentially exposed to cadmium, **94**
Study of two cohorts of workers exposed to methyl methacrylate in acrylic sheet production, **810**
Update of a study of crude oil production workers 1946–94, **411**
mortality surveillance, Mortality surveillance and occupational hazards: the Solutia mortality experience 1980–94, **710**
mortality trends, Future trends in mortality of French men from mesothelioma, **488**
moulds, Fungal and other spore counts as predictors of admissions for asthma in the Trent region, **786**
Health complaints and immunological markers of exposure to bioaerosols among biowaste collectors and compost workers, **458**
multiple sclerosis, Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**
municipal waste incinerators, Polychlorinated dibenzo-*p*-dioxin and dibenzofuran concentrations in the serum samples of workers at continuously burning municipal waste incinerators in Japan, **204**
musculoskeletal pain, Associations of self estimated workloads with musculoskeletal symptoms among hospital nurses, **211**
myofascial pain syndrome, Musculoskeletal disorders of the neck and shoulders in female sewing machine operators: prevalence, incidence, and prognosis, **528**

N-acetyl-S-*(cis*-3-chloro-2-propenyl)-L-cysteine, Personal air sampling and biological monitoring of occupational exposure to the soil fumigant *cis*-1,3-dichloropropene, **738**
neoplasms, Historical cohort study of 10 109 men in the North American vinyl chloride industry, 1942–72: update of cancer mortality to 31 December 1995, **774**
nephritis, Non-neoplastic mortality of European workers who produce man made mineral fibres: *correspondence*, **648**
nephrosis, Non-neoplastic mortality of European workers who produce man made mineral fibres: *correspondence*, **648**
nested case-control, Exposure to electromagnetic fields and suicide among electric utility workers: a nested case-control study, **258**
neuroendocrine reactivity, Reactivity and recovery from different types of work measured by catecholamines and cortisol: a systematic literature overview: *review*, **298**
neuroendocrine recovery, Reactivity and recovery from different types of work measured by catecholamines and cortisol: a systematic literature overview: *review*, **298**
neurological objective tests, Cross sectional study of a workforce exposed to hand-arm vibration: with objective tests and the Stockholm workshop scales, **35**
neuropathy, Vibration perception thresholds in workers with long term exposure to lead, **588**
neurotoxicity, Neurobehavioural effects of occupational exposure to cadmium: a cross sectional epidemiological study, **19**
nitric oxide, Increased nitric oxide in exhaled air: an early marker of asthma in non-smoking aluminium potroom workers?, **274**
nitrogen dioxide, Personal exposures of children to nitrogen dioxide relative to concentrations in outdoor air, **472**
nitrosamines, Exposure to high concentrations of nitrosamines and cancer mortality among a cohort of rubber workers, **180**
non-Hodgkin's lymphoma, Non-Hodgkin's lymphoma among electric utility workers in Ontario: the evaluation of alternate indices of exposure to 60 Hz electric and magnetic fields, **249**
N-phenyl-β-naphthylamine, PBN as a possible bladder carcinogen: *correspondence*, **500**
nurses, Associations of self estimated workloads with musculoskeletal symptoms among hospital nurses, **211**
The role of physical and psychological factors in occupational low back pain: a prospective cohort study, **116**

oak, Symptoms, airway responsiveness, and exposure to dust in beech and oak wood workers, **268**
occupation, Cancer in veterinarians: *review*, **289**
Longest held occupation in a lifetime and risk of disability in activities of daily living, **550**
Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**
Rheumatoid arthritis in workers exposed to silica in the pottery industry, **443**
occupational asthma, Increased nitric oxide in exhaled air: an early marker of asthma in non-smoking aluminium potroom workers?, **274**
Isocyanate exposure and occupational asthma: a case-referent study, **830**
Occupational asthma caused by bacillary amylase used in the detergent industry, **840**
Reported incidence of occupational asthma in the United Kingdom, 1989–97, **823**
Respiratory health surveillance in a toluene di-isocyanate production unit, 1967–97: clinical observations and lung function analyses, **43**
Survey of symptoms, respiratory function, and immunology and their relation to glutaraldehyde and other occupational exposures among endoscopy nursing staff, **752**
occupational cancer, Mortality surveillance and occupational hazards: the Solutia mortality experience 1980–94, **710**
Update of a study of crude oil production workers 1946–94, **411**
occupational diseases, Cancers in concrete workers: results of a cohort study of 33 668 workers, **264**
occupational epidemiology, Respiratory symptoms and lung function in alumina refinery employees, **279**
occupational exposure, Development of an asthma specific job exposure matrix and its application in the epidemiological study of genetics and environment in asthma (EGEA), **635**
Epidemiological response to a suspected excess of cancer among a group of workers exposed to multiple radiological and chemical hazards, **188**
Epidemiological survey of workers exposed to inorganic germanium compounds, **242**
Laryngeal and hypopharyngeal cancers and occupational exposure to formaldehyde and various dusts: a case-control study in France, **767**
Neurobehavioural effects of occupational exposure to cadmium: a cross sectional epidemiological study, **19**
Occupational exposure to formaldehyde and wood dust and nasopharyngeal carcinoma, **376**
Occupational exposure to *cis*-1,3-dichloropropene: biological effect monitoring of kidney and liver function, **745**
Occupational exposures and pancreatic cancer: a meta-analysis, **316**

Performance of population specific job exposure matrices (JEMs): European collaborative analyses on occupational risk factors for chronic obstructive pulmonary disease with job exposure matrices (ECOJEM), **126**
Personal air sampling and biological monitoring of occupational exposure to the soil fumigant *cis*-1,3-dichloropropene, **738**
Risk of enzyme allergy in the detergent industry, **121**
Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study, **563**
Updated mortality among diverse operating segments of a petroleum company, **595**
Workplace exposures and oesophageal cancer, **325**
occupational groups, Fatigue among working people: validity of a questionnaire measure, **353**
occupational health, How is sex considered in recent epidemiological publications on occupational risks?: *review*, **521**
How to select publications on occupational health: the usefulness of Medline and the impact factor, **706**
occupational medicine training, Requirements for occupational medicine training in Europe: a Delphi study, **98**
occupational physicians, Evaluation of a postgraduate educational programme for occupational physicians on work rehabilitation guidelines for patients with low back pain, **645**
occupational risk, Occupational risk of infection by varicella zoster virus in Belgian healthcare workers: a seroprevalence study, **621**
occupational risk factors, Occupation and small bowel adenocarcinoma: a European case-control study, **760**
occupational task, Reactivity and recovery from different types of work measured by catecholamines and cortisol: a systematic literature overview: *review*, **298**
occupations, Workplace exposures and oesophageal cancer, **325**
oesophageal cancer, Workplace exposures and oesophageal cancer, **325**
opencast coal mining, Living near opencast coal mining sites and children's respiratory health, **145**
organic dust, Health complaints and immunological markers of exposure to bioaerosols among biowaste collectors and compost workers, **458**
organic solvents, Impairment of colour vision in workers exposed to organic solvents, **582**
***o*-toluidine,** A further cohort study of workers employed at a factory manufacturing chemicals for the rubber industry, with special reference to the chemicals 2-mercaptobenzothiazole (MBT), aniline, phenyl-β-naphthylamine and *o*-toluidine, **106**
ozone, Associations between ambient ozone, hydrocarbons, and childhood wheezy episodes: a prospective observational study in south east London, **86**

pancreatic cancer, Occupational exposures and pancreatic cancer: a meta-analysis, **316**
paraoccupational exposure, Two cases of paraoccupational asthma due to toluene diisocyanate (TDI), **837**
particulate pollution, Investigation of factors which might indicate susceptibility to particulate air pollution, **53**
particulates, Building sickness syndrome in healthy and unhealthy buildings: an epidemiological and environmental assessment with cluster analysis, **627**
paternal occupation, Childhood leukaemia, population mixing, and paternal occupation: *correspondence*, **144**
performance, Moderate sleep deprivation produces impairments in cognitive and motor performance equivalent to legally prescribed levels of alcohol intoxication, **649**
personal monitoring, Personal exposures of children to nitrogen dioxide relative to concentrations in outdoor air, **472**
pesticides, Dermal in vitro penetration of methiocarb, paclobutrazol, and pirimicarb, **734**
petrol stations, Childhood cancer and possible exposure to benzene from traffic and petrol stations: *correspondence*, **500**
petroleum, Updated mortality among diverse operating segments of a petroleum company, **595**
petrolium industry, Incidence of lymphohaematopoietic malignancies in a petrochemical industry cohort: 1983–94 follow up, **605**
Update of a study of crude oil production workers 1946–94, **411**
Update of the Texaco mortality study 1947–93: part II: *correspondence*, **143**
phenoxy herbicides, Mortality and cancer incidence among Swedish lumberjacks exposed to phenoxy herbicides, **718**
phenyl-β-naphthylamine, A further cohort study of workers employed at a factory manufacturing chemicals for the rubber industry, with special reference to the chemicals 2-mercaptobenzothiazole (MBT), aniline, phenyl-β-naphthylamine and *o*-toluidine, **106**
physicians, Relation between immune variables and burnout in a sample of physicians, **453**
pigeons, Detection of specific antibodies to pigeon serum and bloom antigens by enzyme linked immunosorbent assay in pigeon breeder's disease, **159**
pilots, Pilots' fitness, a time for questions: *correspondence*, **69**
plasma cutting, Half life of chromium in serum and urine in a former plasma cutter of stainless steel, **140**
PM_{10}, Living near opencast coal mining sites and children's respiratory health, **145**
pollution, Investigation of an acute chemical incident: exposure to fluorinated hydrocarbons, **577**
polycyclic aromatic hydrocarbons, Lung and bladder cancer among workers in a Norwegian aluminium reduction plant, **495**
Mortality from cancer and chronic respiratory diseases among workers who manufacture carbon electrodes, **484**
population, Investigation of an acute chemical incident: exposure to fluorinated hydrocarbons, **577**
Prevalence and pattern of occupational exposure to hand transmitted vibration in Great Britain: findings from a national survey, **218**
Prevalence and pattern of occupational exposure to whole body vibration in Great Britain: findings from a national survey, **229**
Prevalence of Raynaud's phenomenon in Great Britain and its relation to hand transmitted vibration: a national postal survey, **448**
postgraduate education, Evaluation of a postgraduate educational programme for occupational physicians on work rehabilitation guidelines for patients with low back pain, **645**
postpartum, Determinants of bone and blood lead concentrations in the early postpartum period, **535**
postural stability, Effect of exposure to lead on postural control in workers, **201**
potroom workers, Increased nitric oxide in exhaled air: an early marker of asthma in non-smoking aluminium potroom workers?, **274**
prediction, Future trends in mortality of French men from mesothelioma, **488**
prevalence, Prevalence and pattern of occupational exposure to hand transmitted vibration in Great Britain: findings from a national survey, **218**
Prevalence and pattern of occupational exposure to whole body vibration in Great Britain: findings from a national survey, **229**
prognostic risk factors, Musculoskeletal disorders of the neck and shoulders in female sewing machine operators: prevalence, incidence, and prognosis, **528**
psychological factors, The role of physical and psychological factors in occupational low back pain: a prospective cohort study, **116**
psychosocial factors, Workplace bullying and sickness absence in hospital staff, **656**
publication, COPE guidelines on good publication practice: *editorial*, **505**
pulmonary function, Lung function over the first 3 years of a professional diving career, **390**
pulmonary function reference equations, Lung function prediction equations derived from healthy South African gold miners, **698**

Raynaud's phenomenon, Vibration exposure, smoking, and vascular dysfunction, **341**
regional differences, Reported incidence of occupational asthma in the United Kingdom, 1989–97, **823**
reproductive health, Chlorination disinfection byproducts in water and their association with adverse reproductive outcomes: a review: *review*, **73**
research reporting, Reporting of occupational and environmental research: use and misuse of statistical and epidemiological methods, **1**
residence, Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**
respiratory diseases in children, Respiratory diseases in children and outdoor air pollution in São Paulo, Brazil: a time series analysis, **477**
respiratory health, Living near opencast coal mining sites and children's respiratory health, **145**
review, How is sex considered in recent epidemiological publications on occupational risks?: *review*, **521**
Reynaud's phenomenon, Prevalence of Raynaud's phenomenon in Great Britain and its relation to hand transmitted vibration: a national postal survey, **448**
rheumatoid arthritis, Rheumatoid arthritis in workers exposed to silica in the pottery industry, **443**
risk assessment, Strategy for prevention and control of the risks due to noise, **361**
risk factors, Occupational risk factors for shoulder pain: a systematic review: *review*, **433**
risk function, Future trends in mortality of French men from mesothelioma, **488**
rotator cuff syndrome, Musculoskeletal disorders of the neck and shoulders in female sewing machine operators: prevalence, incidence, and prognosis, **528**
rubber industry, Exposure to high concentrations of nitrosamines and cancer mortality among a cohort of rubber workers, **180**
rubber workers, Cohort mortality and cancer incidence survey of recent entrants (1982–91) to the United Kingdom rubber industry: preliminary findings, **574**

self measurement, Modern approaches to blood pressure measurement, **510**
serum dioxins, Polychlorinated dibenzo-*p*-dioxin and dibenzofuran concentrations in the serum samples of workers at continuously burning municipal waste incinerators in Japan, **204**
sex bias, How is sex considered in recent epidemiological publications on occupational risks?: *review*, **521**
shift rotation, Effects of direction of rotation in continuous and discontinuous 8 hour shift systems, **678**
shoulder pain, Occupational risk factors for shoulder pain: a systematic review: *review*, **433**
sickness absence, Sickness absence and early retirement on health grounds in the construction industry in Ireland, **615**
Workplace bullying and sickness absence in hospital staff, **656**
silica, Rheumatoid arthritis in workers exposed to silica in the pottery industry, **443**
silica dust, Lung function prediction equations derived from healthy South African gold miners, **698**
skin cancer, Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**
sleep deprivation, Moderate sleep deprivation produces impairments in cognitive and motor performance equivalent to legally prescribed levels of alcohol intoxication, **649**
small and medium sized enterprises, Strategy for prevention and control of the risks due to noise, **361**
small intestine, Occupation and small bowel adenocarcinoma: a European case-control study, **760**
smoking, Cancers in concrete workers: results of a cohort study of 33 668 workers, **264**
Vibration exposure, smoking, and vascular dysfunction, **341**
social support, Job strain, social support in the workplace, and haemoglobin A1c in Japanese men, **805**
socioeconomic status, Longest held occupation in a lifetime and risk of disability in activities of daily living, **550**
Søderberg, Lung and bladder cancer among workers in a Norwegian aluminium reduction plant, **495**
soft tissue, Historical cohort study of 10 109 men in the North American vinyl chloride industry, 1942–72: update of cancer mortality to 31 December 1995, **774**
soil, Health risks from exposure to cadmium in soil: *correspondence*, **647**
soil fumigation, Personal air sampling and biological monitoring of occupational exposure to the soil fumigant *cis*-1,3-dichloropropene, **738**
South Africa, Risk of mesothelioma from exposure to crocidolite asbestos: a 1995 update of a South African mortality study, **563**
spermatotoxicity, Haematological and spermatotoxic effects of ethylene glycol monomethyl ether in copper clad laminate factories, **348**
spinocellular cancers, Incidence of cancer among workers exposed to vinyl chloride in polyvinyl chloride manufacture, **65**
spore counts, Fungal and other spore counts as predictors of admissions for asthma in the Trent region, **786**
stainless steel, Half life of chromium in serum and urine in a former plasma cutter of stainless steel, **140**
statistical methods, Reporting of occupational and environmental research: use and misuse of statistical and epidemiological methods, **1**
steel workers, Non-fatal work related injuries in a cohort of Brazilian steelworkers, **555**
stomach cancer, Cohort mortality and cancer incidence survey of recent entrants (1982–91) to the United Kingdom rubber industry: preliminary findings, **574**
suicide, Exposure to electromagnetic fields and suicide among electric utility workers: a nested case-control study, **258**
Karo jisatsu (suicide from overwork): a spreading occupational threat: *correspondence*, **284**
Suicide in the farming community: methods used and contact with health services, **642**
sunlight, Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**
surface reactivity, In vitro toxicology of respirable Montserrat volcanic ash, **727**
susceptibility, Influence of genetic susceptibility on the urinary excretion of 8-hydroxydeoxyguanosine of firefighters, **370**
Investigation of factors which might indicate susceptibility to particulate air pollution, **53**
symptoms, Self reported symptoms and inhibition of acetylcholinesterase activity among Kenyan agricultural workers, **195**
systematic review, Occupational risk factors for shoulder pain: a systematic review: *review*, **433**
taxi drivers, Exposure of Paris taxi drivers to automobile air pollutants within their vehicles, **406**
time zones, Incidence of cancer among commercial airline pilots, **175**
toluene di-isocyanate, Respiratory health surveillance in a toluene di-isocyanate production unit, 1967–97: clinical observations and lung function analyses, **43**
Two cases of paraoccupational asthma due to toluene diisocyanate (TDI), **837**
traffic, Childhood cancer and possible exposure to benzene from traffic and petrol stations: *correspondence*, **500**
traffic pollution, Local road traffic activity and the prevalence, severity, and persistence of wheeze in school children: combined cross sectional and longitudinal study, **152**
transition metals, Increased inflammation and intracellular calcium caused by ultrafine carbon black is independent of transition metals or other soluble components, **685**
tubular damage, Low level exposure to cadmium and early kidney damage: the OSCAR study, **668**

ultrafine, Increased inflammation and intracellular calcium caused by ultrafine carbon black is independent of transition metals or other soluble components, **685**
ultraviolet radiation, Mortality from multiple sclerosis and exposure to residential and occupational solar radiation: a case-control study based on death certificates, **418**

validity, Validity of self reported occupational exposures to hand transmitted and whole body vibration, **237**
varicella, Occupational risk of infection by varicella zoster virus in Belgian healthcare workers: a seroprevalence study, **621**
ventilation, Heat exhaustion in a deep underground metalliferous mine, **165**
vestibular disturbance, Cerebral symptoms from mobile telephones: *correspondence*, **431**
veterinarians, Cancer in veterinarians: *review*, **289**
vibration, Prevalence of Raynaud's phenomenon in Great Britain and its relation to hand transmitted vibration: a national postal survey, **448**
Validity of self reported occupational exposures to hand transmitted and whole body vibration, **237**
vibration frequency, Acute vascular responses to the frequency of vibration transmitted to the hand, **422**
vibration induced white finger, Prevalence of Raynaud's phenomenon in Great Britain and its relation to hand transmitted vibration: a national postal survey, **448**
vibration perception threshold, Vibration perception thresholds in workers with long term exposure to lead, **588**
vibration white finger, Vibration exposure, smoking, and vascular dysfunction, **341**
vinyl chloride, Historical cohort study of 10 109 men in the North American vinyl chloride industry, 1942–72: update of cancer mortality to 31 December 1995, **774**
volcanic ash, In vitro toxicology of respirable Montserrat volcanic ash, **727**

wheat flour, Prospective study of work related respiratory symptoms in trainee bakers, **58**
Two patients with occupational asthma who returned to work with dust respirators, **62**
wheeze, Local road traffic activity and the prevalence, severity, and persistence of wheeze in school children: combined cross sectional and longitudinal study, **152**
white coat hypertension, Modern approaches to blood pressure measurement, **510**
whole body vibration, Prevalence and pattern of occupational exposure to whole body vibration in Great Britain: findings from a national survey, **229**
wood dust, Occupational exposure to formaldehyde and wood dust and nasopharyngeal carcinoma, **376**
Symptoms, airway responsiveness, and exposure to dust in beech and oak wood workers, **268**
work, Karo jisatsu (suicide from overwork): a spreading occupational threat: *correspondence*, **284**
work related, The industrial athlete?: *correspondence*, **285**
work related respiratory symptoms, Prospective study of work related respiratory symptoms in trainee bakers, **58**
work stress, Exposure to benzene, occupational stress, and reduced birth weight, **661**
workloads, Associations of self estimated workloads with musculoskeletal symptoms among hospital nurses, **211**
workplace bullying, Workplace bullying and sickness absence in hospital staff, **656**